



# Floor Coatings

# Floor coating solutions proven to perform in adverse conditions

NEOGARD® floor coating solutions are available in a variety of colors, textures and thicknesses. These systems can vary in thickness from 16 mils to 250 mils depending on the operating floor conditions and requirements.

NEOGARD® floor coating systems can be combined with waterproof membranes to provide seamless watertight surfaces.

## Institutional & manufacturing

The floor coating solution for mild to adverse conditions, light to heavy traffic, and little time for maintenance.

### CG:

For heavy loads, high traffic areas and resurfacing

- High performance versatile system
- From thin applications to heavy duty mortars
- 100% solids epoxy
- One product system
- High chemical resistance
- High abrasion resistance

### WG:

For assembly lines, warehousing and dock areas

- General use system
- From thin applications to heavy duty mortars
- 100% solids epoxy
- One product system
- Economical

### Neothane:

For chemical environments

- High chemical resistance
- Thin system urethane
- UV resistant
- Stable color
- Available in a variety of colors

## Food & research industries

For laboratories, animal research, food processing, freezers, and chemical environments.

### KitchenGard:

For food processing applications

- 100% solids epoxy-novolac mortar
- For operation in high temperature ranges
- Slip-resistance
- Easy to clean

### Novolac:

For thin and heavy duty mortar applications

- Superior chemical resistance
- 100% solids novolac
- Resists thermal shock

### Neocrete:

For harsh food processing conditions

- Polyurethane resin, cement base, and water dispersion mortar
- Fast turnaround





## Decorative

Decorative performance under demanding conditions. Perfect for lobbies, schools, hospitals, hotels, laboratories, and showrooms.

## Decorative RTS


Fast return to service decorative flooring solutions. Perfect for lobbies, schools, hospitals, hotels, laboratories, and showrooms.

## Aviation

For hangar floors, aviation repair shops, high end automotive shops.


### NeoQuartz:

- Decorative
- Slip-resistant
- Colored quartz chips
- 100% solids mortar



### NeoQuartz RTS:

- Broadcast & Trowel
- Slip-resistant
- Colored quartz chips
- Polyaspartic technology



### SkyGard:

- Skydrol chemical resistant urethane for hangar floors
- UV stable
- High color retention
- High reflectivity
- Handles heavy loads



### NeoFlake:

- Decorative PVC flakes
- 100% solids epoxy base system

### NeoFlake RTS:

- Decorative PVC flakes
- CRU and/or Polyaspartic technology



NEOGARD®, a Division of Hempel (USA), Inc., is a fully integrated research and manufacturing organization in Dallas, Texas. NEOGARD® products have been specified and used on prestigious projects around the world by leading architects, engineers and consultants for over 50 years. Our line of coating systems protects the building envelope through vehicular and pedestrian traffic coatings, protective roof coatings, seamless flooring and elastomeric wall coatings.

NEOGARD Headquarters  
2728 Empire Central, Dallas, TX 75235  
Tel: +1 (214) 353-1600  
Fax: 214-353-1766

[www.neogard.com](http://www.neogard.com)

NEOGARD®, A Division of Hempel (USA), Inc.

US\_V1\_MAR\_18